

Hush







Products

net / gross weight volume of assembled product – m3 / volume of crates – m3 number of crates.




| | Hush Mee | et Open | |
|---|------------------------------|-----------------------------|---|
| | | | |
| [W x D x H] | Ref. No. | | |
| Product: 2150 x 1390 x H2300 Crate: 2250 x 1745 x 1240 | HUS-BX-010 | | |
| 4 🗇 🗳 | Net: 550 kg Gross: 680 kg | Product: 6.87 Crate: 4.9 | 1 |

| | Hush Mee | t Open S | |
|--|------------------------------|-----------------------------|---|
| | | | |
| [W x D x H] | Ref. No. | | |
| Product: 2150 x 900 x H2300 Crate: 2250 x 1240 x 1242 | HUS-BX-011 | | |
| P | Net: 425 kg Gross: 595 kg | Product: 4.45 Crate: 3.5 | 1 |







| | Hush Work | sit&stand | |
|---|------------------------------|-----------------------------|---|
| | | | |
| [W x D x H] | Ref. No. | | |
| Product: 1600 x 1200 x H2300 Crate: 2250 x 1500 x 1160 | HUS-BX-016 | | |
| | Net: 535 kg Gross: 625 kg | Product: 4.41 Crate: 3.9 | 1 |





| | HUSH P | Phone | |
|---|------------------------------|-------------------------------|---|
| | | | |
| [W x D x H] | Ref. No. | | |
| Product: 1000 x 900 x H2230 Crate: 2255 x 740 x 1150 | HUS-BX-018 | | |
| 4 🗇 🗳 | Net: 320 kg Gross: 400 kg | Product: 1.98 Crate: 198.5 | 1 |

| | HUSI | ł Meet | |
|---|------------------------------|-----------------------------|---|
| | | | |
| [W x D x H] | | Ref. No. | |
| Product: 2150 x 1390 x H2300 Crate: 2250 x 1745 x 1240 | HUS-BX-008 | | |
| 4 | Net: 650 kg Gross: 770 kg | Product: 6.87 Crate: 4.9 | 1 |





| | Hush A | Meet S | |
|--|------------------------------|-----------------------------|---|
| | | | |
| [W x D x H] | Ref. Np. | | |
| Product: 2150 x 900 x H2300 Crate: 2250 x 1240 x 1242 | HUS-BX-008 | | |
| P | Net: 530 kg Gross: 700 kg | Product: 4.45 Crate: 3.5 | 1 |

| | Hush M | eet L 2 | |
|---|-------------------------------|--------------------------------------|---|
| | | | |
| [W x D x H] | | Ref. No. | |
| Product: 2600 x 1800 x H2300 Crate: 2690 x 990 x 890 + 2250 x 1130 x 1160 | HUS-BX-012 | | |
| 4 🗇 🔷 | Net: 775 kg Gross: 1075 kg | Product: 10.76 Crate: 2.37 + 2.95 | 2 |





| | Hush M | eet L 3 | |
|---|--------------------------------|---|---|
| | | | |
| [W x D x H] | | Ref. No. | |
| Product: 2600 x 2700 x H2300 Crate: 2690 x 990 x 890 + 2250 x 1130 x 1160 + 2690 x 990 x 890 | HUS-BX-012 + 1 x HUS-BX-13 | | |
| 4 🗇 | Net: 1125 kg Gross: 1595 kg | Product: 16.14 Crate: 2.37 + 2.95 + 2.37 | 3 |

| | Hush Meet L 4 | | |
|---|--------------------------------|--|---|
| [W x D x H] | | Ref. No. | |
| Product: 2600 x 3600 x H2300 Crate: 2690 x 990 x 890 + 2250 x 1130 x 1160 + 2690 x 990 x 890 + 2690 x 990 x 890 | HUS-BX-012 + 2 x HUS-BX-13 | | |
| 4 🗇 🦃 | Net: 1475 kg Gross: 2115 kg | Product: 21.52 Crate: 2.37 + 2.95 + 2.37 + 2.37 | 4 |





| | Stool | |
|---------------------|---------------------------|---------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | · · | |
| | | |
| [H] | Re | ef. No. |
| Product: 630 -> 880 | HUS | -HO-001 |
| 4 🔷 | Net: 8 kg Gross: 10 kg | 1 |

| | Hush | 1 Twin | |
|--|------------------------------|-----------------------------|---|
| | | | |
| [W x D x H] | | Ref. No. | |
| Product: 2150 x 900 x H2300 Crate: 2250 x 1240 x 1242 | | HUS-BX-019 | |
| 4 | Net: 570 kg Gross: 740 kg | Product: 4.45 Crate: 3.5 | 1 |





| | Green Wall \$ | |
|--|---------------------------|-----------|
| | | |
| [W x D x H] | Ref. No. | |
| Product: 640 x 220 x 2210 Package: 1240 x 680 x 420 | HUS-PG-002 | |
| 4 | Net:34 kg Gross: 36 kg | 1 package |

| | Green Wall P | |
|--|---------------------------|-----------|
| | | |
| [W x D x H] | Re | f. No. |
| Product: 640 x 220 x 2150 Package: 1240 x 680 x 420 | HUS | -PG-003 |
| 4 | Net:32 kg Gross: 34 kg | 1 package |





| | Green Wall M | |
|--|---------------------------|-----------|
| | | |
| [W x D x H] | Ref. | . No. |
| Product: 1110 x 220 x 2210 Package: 1240 x 1130 x 420 | HUS-F | PG-001 |
| ₽ | Net:64 kg Gross: 37 kg | 1 package |

| | Conference table L2 | |
|---|----------------------------|------------|
| | | |
| [W x D x H] | Ref. | No. |
| Product: 1200 x 1200 x 735 Package desk: 1230 x 1230 x 40 Package table leg: 720 x 500 x 90 | HUS-S | SW-001 |
| 4. | Net: 33 kg Gross: 36 kg | 2 packages |





| | Conference table L3 | |
|---|----------------------------|--------------|
| | | |
| [W x D x H] | R | lef. No. |
| Product: 1800 x 1200 x 735 Package desk: 1830 x 1230 x 40 Package table leg: 720 x 500 x 90 | | S-SW-002 |
| 4 | Net: 58 kg Gross: 61 kg | - 3 packages |

| | Conference table L4 | |
|---|----------------------------|------------|
| [W x D x H] | Re | f. No. |
| Product: 2400 x 1200 x 735 Package desk: 2430 x 1230 x 40 Package table leg: 720 x 500 x 90 | | -SW-003 |
| 4 | Net: 62 kg Gross: 66 kg | 3 packages |





Technical parameters

| Hush Phone | Hush Meet Open | Hush Meet Open S | HUSH Work/ Hush Work Sit&Stand | HUSH Meet | |
|--|--|---|--|--|--|
| | | | | | |
| The active ventilation with 2 fans in the ceiling with performance of 140 m³/h each, run by a motion sensor with adjustable delay. | Hush Meet Open: Lighting pow Hush Meet Open S: Lighting po Colour of light – 3000K Intensity of light adjusted by Inc | er 19,2W/1940 lm ower 11,5W/1160 lm dependent, manual smooth rotary | The active ventilation with 4 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. | The active ventilation with 6 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. | |
| The ventilation work's volume at the level of 41 dB. | Maximum Power consumption of Hush Meet Open – 21 W Hush Meet Open S – 14 W | of the product: | Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. | Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. | |
| Lighting power 3.2W/147 Im Colour of light – 3000K | Length of the cable – 3,6 m method of releasing the cable - | - bottom and top | The ventilation work's volume at the level of 42 dB. Lighting power 17W/1550 Im | The ventilation work's volume at the level of 39 dB. | |
| Maximum Power consumption of the product: 7 W Length of the cable – 3,6 m method of releasing the cable – bottom and top | | | Colour of light – 3000K with adjustable intensity , Maximum Power consumption of the product: 42 W Length of the cable – 3,6 m | Lighting power 19,2W/1940 Im Colour of light – 3000K with adjustable intensity. Maximum power consumption of the product: 49.5 W | |
| | | | method of releasing the cable – bottom and top | Length of the cable – 3,6 m method of releasing the cable – bottom and top | |






Hush Meet S




Hush Meet L2



Hush Meet L 3



Hush Meet L 4



The active ventilation with 4 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor.

Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs.

The ventilation work's volume at the level of 42 dB.

Lighting power 11,5W/1160 lm

Colour of light – 3000K with adjustable intensity.

Maximum Power consumption of the product: Hush Meet S – 20 W

Length of the cable – 3,6 m method of releasing the cable – bottom and top

The active ventilation with 8 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor.

Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs.

The ventilation work's volume at the level of 39 dB.

Lighting power 27W/2700 Im Colour of light – 3000K with adjustable intensity.

Maximum Power consumption of the product:65 W

Length of the cable – 3,6 m method of releasing the cable – bottom and top

The active ventilation with 12 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor

Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs.

The ventilation work's volume at the level of 39 dB

Lighting power 41,4W/4200 lm Colour of light – 3000K with adjustable intensity

Maximum Power consumption of the product:70 W

Length of the cable – 3,6 m method of releasing the cable – bottom and top

The active ventilation with 16 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor.

Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs.

The ventilation work's volume at the level of 42 dB.

Lighting power 55,8W/5700 lm Colour of light – 3000K with adjustable intensity.

Maximum Power consumption of the product:75 W

 $\begin{array}{l} \text{Length of the cable} - 3,\!6 \text{ m} \\ \text{method of releasing the cable} \\ - \text{bottom top} \end{array}$







Hush Twin

Two independets spaces with the active ventilation with 6 (3 per side) fans in the ceiling with performance of 100 m³/h each, run by a presence sensor.

Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs.

The ventilation work's volume at the level of 39,5 db.

Lighting power 6,4W/284 Im Colour of light – 3000K with adjustable intensity.

Maximum Power consumption of the product: 30 W

Length of the cable – 3,6 m method of releasing the cable – bottom and top



Green Wall

Electronic, manually activated plant irrigation system.

Length of the cable: 1,5 m

Maximum Power consumption of the product: 36 W

Water tank capacity

PG-001 - 41 litres PG-002/003 - 29 litres

Suggested plant pot diameter: 9-

A number of pots for plants in the Green Wall panel:

Green wall M (PG-001): 90

Green wall S (PG-002): 45

Green wall P (PG-003): 42

Logistics recommendations

- unloading with a forklift
- transport to a building or inside building using a pallet truck or transport platform


Hardware recommendations

- handles for carrying glass
- pallet truck or transport platform






Dimensions














Hush Meet L 3





















Ventilation scheme





mikomax smart office.







Available colours

FABRIC

| | FABRIC | | | | | | | | |
|-----|-------------|-----|-----|-----|-----|-----|-----|-----|-----|
| | MURA FABRIC | | | | | | | | |
| | | | | | | | | | |
| ТМА | TBE | TUM | ТНВ | TFL | TPU | TRO | TGC | TNJ | TZJ |
| | | | | | | | | | |
| тсс | TGY | TSC | ТКН | TOL | | | | | |

| | FABRIC | | | | | | | | |
|-----|--------|-----|-----|--------|--------|---|-----|-----|---|
| | | | | PETRUS | FABRIC | 000000000000000000000000000000000000000 | | | 200225700000000000000000000000000000000 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TMT | TCS | TER | TWN | TAG | TGA | TKI | TNX | TNT | TCE |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TDM | TDK | | | | | | | | |

| | FABRIC | | | | | | | | |
|-----|-------------|--|-----|-----|-----|-----|-----|-----|-----|
| | WOOL FABRIC | | | | | | | | |
| | | | 8 | | | | | | |
| | | The Part of the Pa | | | | | | | |
| TIV | TCA | ТВІ | TDU | THE | тні | TSI | TPE | TGR | TON |
| | | | | | | | | | |
| | | | | | | | | | |
| TLI | TWO | TTE | TFI | TFU | TPL | TEG | TIN | TEM | TCL |
| | | | | | | | | | |
| | | | | | | | | | |
| TPC | TRC | TST | TMS | TSN | ттм | TSG | TJA | TOR | THY |






DECORS

White Dusted Grey Cosmos Grey ABB ASP AGC


BACK GLASS COLOURS



LACQUERED FRAME



LACQUER SHELVES



LACQUERED FRAME

(floor) HUSH MEET / WORK /MEET OPEN / MEET OPEN S / MEET L/ MEET S/ WORK SIT&STAND/ HUSH TWIN







