

MONITOR SUPPORTS



An ergonomically sound workspace is vital for a healthy and productive working environment. Mounting monitors at the correct height for individual users vastly improves posture and may prevent long-term back problems.

Colebrook Bosson Saunders recognised the need for ergonomic office equipment and launched the market's very first monitor arm in the mid 1980s. We were also the first to design arms for flat screens, foreseeing the huge demand for LCD monitors.

The Colebrook Bosson Saunders monitor arm range now includes a wide variety of models and sizes, all designed with the user in mind. They can be mounted on posts, slatwalls, toolbars and, with the design of special brackets, almost any other surface.





Giselle



- Dynamic height adjustable monitor arm powered by gas strut for improved flexibility
- Suitable for hot-desking environments due to easy screen adjustment
- Mounts to walls, slatwalls, and desks using a variety of fixing options
- Quick release as standard – the screen can be removed in seconds
- Cable management facility
- Easy to install

WishbonePlus



- A modern take on the original flat screen monitor arm
- Can support a weight of 24kg (52.8lb), enough to support screens up to 37"
- Ideal for future-proofing your business
- Suited to multi-screen environments
- Quick-release monitor head with optional security feature
- Built-in fine height adjustment feature to align adjacent monitors
- Portrait-to-landscape monitor orientation
- Two-point cable management facility
- Easy to install

Wishbone



- The original and classic flat screen monitor arm
- Suited to multi-screen environments
- System arm available in three lengths
- Flexible arrangements due to wishbone post system
- Quick release as standard – the screen can be removed in seconds
- Cable management facility
- Easy to install

Wishbone rotation



- Height adjustable monitor arm powered by a spring clutch mechanism
- Mounts to walls, slatwalls, and desks using a variety of fixing options
- Increased flexibility of the classic design to provide easy manual height adjustment
- Cable management facility
- Easy to install





ZORRO



- The 'architect's' monitor arm, Zorro is loved for its ability to create clear space and less visual clutter
- The post sits lower than the screen to create clean straight lines
- The arm can be pushed flush onto itself, creating maximum space and saving space accordingly
- Ideal for rows of screens
- Mounts to walls, slatwalls, and desks using a variety of fixing options
- Quick release as standard – the screen can be removed in seconds
- Cable management facility
- Easy to install

daisyone.



- System monitor arm available in three different lengths
- Suitable for multi-screen environments
- Up to four arms can be easily mounted on one post without additional brackets
- Mounts to walls, slatwalls, and desks using a variety of fixing options
- Quick release as standard – the screen can be removed in seconds
- Allows the monitor to be positioned in either landscape or portrait format
- Cable management facility
- Easy to install

rodney



NEW

- 'All-in-one-box' monitor arm for simplified installation and usage (includes arm, monitor mount and desk clamp)
- Simple and innovative design – winner of 2009 Red Dot Design Award
- Full ergonomic range of articulation and height adjustability
- Can also be mounted into desk grommet hole



MONITOR ARM PRODUCT BENEFITS

- Lifts screen to correct height for each user
- Enables adjustment of height for multiple users of one workstation
- Enables adjustment of screen to avoid glare
- Saves space on the desk
- Easy to retro-fit to any existing furniture: desk clamp, through desk fixing, slatwall or toolbar mounted
- Integrated cable management
- Screen format can be easily switched between landscape and portrait



Giselle.

Giselle is an elegant post-mounted arm that combines strength with ease of movement. Utilising an internal gas strut, Giselle provides fingertip control over monitors that weigh up to 8.5kg (18.7lb). Giselle is therefore the ideal choice for workspaces occupied by different users such as hot desks and call centres. For slatwall mounting, Giselle X can be used, as its horizontal forearm sets a base for screen height.



CODE GLA/011
Gas lift arm, Giselle

CODE GLA/013
Gas lift arm, Giselle X





WISHBONE PLUS

Did you know that we nearly called it Whalebone? Martyn was overruled...



Wishbone Plus.

Wishbone Plus can support monitor weights up to 24kg, meaning it can comfortably hold monitors up to 37". The arm offers similar reach and articulation to the standard Wishbone and includes significant functional enhancements such as a built-in fine height adjustment feature and easy portrait-to-landscape monitor orientation.



CODE WSH/011/CQR
Standard arm, quick release





THE STORY OF THE WISHBONE POST SYSTEM...




While Peter and Martyn were enjoying one of their 'competitive' windsurfing sessions, Peter came upon the idea of applying the same principle to a monitor support as to a mast foot on a sail. And the Wishbone post system was born...

Wishbone

Wishbone is a design classic, it has won design and product innovation awards the world over. It is a true system arm available in three reach lengths which make it the ideal choice for multi-screen applications such as trading floors and control rooms. Wishbone can be installed at different heights to suit different environments and users.



CODE WSH/001/PQR
Standard arm, quick release



CODE WSH/002/PQR
Forearm, quick release



CODE WSH/003/PQR
C-post arm, quick release



Wishbone

rotation

Wishbone Rotation brings flexibility to the classic design of Wishbone. The movement inherent in the standard Wishbone range is enhanced by a wrap spring clutch at the elbow joint, providing dynamic height adjustability for individual users.




CODE WSH/ROT/NQR
Rotation arm, non-quick release





ZORRO

Zorro combines function with beautiful design. Its diagonal profile means that Zorro can be mounted on shorter posts to give cleaner lines in the workspace. This design allows Zorro a range of horizontal movement up to 460mm (18 $\frac{1}{8}$ ""). The innovative ball joint also gives the user full control over the screen angle to increase comfort and reduce glare.



CODE ZOR/PQR
Standard arm, quick release





daisyone

Daisyone is a compact and geometrical monitor support solution that allows two screens to be mounted at the same height on a single post, without the need for a separate back-to-back bracket. Used on the quad post, Daisyone also offers a 180 degree stop function, preventing potential damage to privacy screens.



CODE COM/001
Standard arm, quick release


CODE COM/003
Knuckle joint arm, quick release



POST & DESK FIXINGS

A number of standard fixings is available to enable posts, and therefore monitor arms, to be mounted to the desk surface. The choice of fixing option depends on the desk design and installation restrictions, but each method provides a firm base for any post and monitor arm combination. Bespoke desk fixing solutions are also available on request, for more unusual mounting situations.

WISHBONE POST



CODE WSH/PST

- The iconic Colebrook Bosson Saunders post
- Precision machined grooves for different mounting heights
- Available in lengths from 150mm (5 7/8") to 700mm (27 1/2")



QUAD POST




CODE UNI/QPP

- Four vertical grooves align the post at 90° to the desk
- Available in lengths from 300mm (11 3/4") to 800mm (31 1/2")




QUAD CLAMP



CODE UNI/QPC

- Aligns the vertical grooves of Quad post at right angles to the desk



THROUGH DESK



CODE WSH/50S12/K
WSH/100S12/K

- Simplest mounting option
- Fix directly to desk surface via a pre-drilled hole
- Securely anchored to the underside of the desk



CAST GROMMET



CODE UNI/CSG100/K
UNI/CSG140/K

- Larger pre-drilled hole covered by a decorative grommet
- Allows power and data cables to pass through the desk surface
- Less clutter on the work surface



DESK CLAMP



CODE UNI/LCLM13
UNI/LCLM25
UNI/LCLM38

- For use where it is not possible or desirable to drill through the desk surface
- Range of standard clamps to fit desk thickness from 13mm (1/2") to 38mm (1 1/2")



TOP MOUNTING CLAMP



CODE UNI/TMCLM

- For use where there is limited access to the edges of the desk surface
- Can be completely disassembled to make installation easier
- Fits desk thickness from 13mm (1/2") to 67mm (2 5/8")



GAS SPRING SUPPORT


The Gas Spring Support range provides dynamic functionality without the need for a dynamic arm. The Gas Lift Post and VESA plate enables dynamic height adjustability to standard arm mechanisms where Giselle isn't suitable.

GAS LIFT POST



CODE PPS/080

- Enables fingertip monitor height adjustment
- For use with Wishbone, Zorro or Daisyo arms
- Gas strut can be adjusted to support screens from 3kg (6.6lb) to 8.5kg (18.7lb)



GAS LIFT VESA PLATE



CODE EAB/001/035/S
EAB/001/045/S
EAB/001/060/S

Gas lift monitor plate for use with flat screen arm, which gives fingertip control of up to 150mm (5 7/8") of vertical movement thanks to its internal gas spring



SLATWALL FIXINGS

Privacy screens are an increasingly important part of workplace design, creating individual workspaces from open-plan designs. Many screens incorporate slatwalls or utility rails which are the perfect place to install flat screen monitors. A complete range of brackets is available to mount Colebrook Bosson Saunders arms to slatwalls, and our special design service can create bespoke brackets for unique mounting configurations.

UNIVERSAL SLATWALL MOUNT



NEW

CODE UNI/SWB/001

- For single screen mounting
- Fits most commercially available slatwalls
- For any Colebrook Bosson Saunders monitor arm (excluding Rodney)



SLATWALL POST BRACKET



CODE UNI/MSB/001

- Enables attachment of multiple screens via a post
- Fits a range of commercially available slatwalls
- Two-stage cam action enables quick release and side-to-side relocation





HUMBLE BEGINNINGS BUT ALWAYS SETTING THE TREND...

In the days before London's Hoxton Square was the hotbed of art and media activity that it is today, CBS moved into its very first office there. In those days it was somewhat less 'glamorous' with Brenda repeatedly having her car broken into! Still, we set trends that others follow and twenty years later it's now one of the coolest places in town!



TOOLBAR FIXINGS

The toolbar system is ideal for mounting monitor arms as well as desk accessories. Two different Toolbar brackets are available, offering fixed or adjustable mounting for the full range of Colebrook Bosson Saunders monitor arms (excluding Rodney).

ADJUSTABLE TOOLBAR BRACKET



CODE WSH/ADJ

- To mount a single monitor arm to toolbar
- Features fine height adjustment for easy alignment of adjacent monitors
- Flip-top design permits rapid fitting or removal of arm



TOOLBAR BRACKET



TOOLBAR EXTENSION BRACKET



WALL MOUNT BRACKET



SLATWALL EXTENSION BRACKET



CODE WSH/TB

- To mount a single monitor arm to toolbar
- Integral cable management feature



CODE WSH/TBX

- To mount a Wishbone post to toolbar
- Can accept posts of various lengths
- Post can pass completely through mount bracket, i.e. permitting arm to mount above or below



CODE WSH/SLT

- To mount a single monitor arm to furniture slatwall
- Compatible with a wide range of slatwalls



CODE WSH/SLTX

- To mount a Wishbone post to furniture slatwall
- Can accept posts of various lengths
- Post can pass completely through mount bracket, i.e. permitting arm mounting above or below
- Compatible with a wide range of slatwalls





RODNEY

Our double award-winning and revolutionary monitor arm, Rodney, usually raises a smile when people ask about its name. So, why Rodney? Because it's made of a steel rod! Simple!

rodney™

Rodney removes the need for a separate arm and post by incorporating the two components into a single piece. It comes complete with desk clamp, cable management and security features as standard.




CODE SUN/001
Standard arm




MONITORS

Larger screen
(Up to 24kg/51lb,
guide size 30" - 42")



Smaller screen
(Up to 12kg/26.4lb or
8.5kg/18.75, check
arms' max weight)



Gas lift VESA fixings
P18


Monitor weight 3.2kg-4.8kg
EAB/001/035/S

Monitor weight 4.6kg-6.8kg
EAB/001/045/S


Monitor weight 6.6kg-9.4kg
EAB/001/060/S




SINGLE ARMS





Wishbone Plus
WSH/011/CQR
P13





Rotation arm
WSH/ROT/NQR/S
P8



Wishbone
Standard arm
WSH/001/PQR
P9-12




Wishbone
Forearm
WSH/002/PQR
P9-12




Wishbone
C-post
WSH/003/PQR
P9-12



Gas lift arm
Giselle X
GLA/013
P6-7




Gas lift arm
Giselle
GLA/011
P6-7






Zorro arm
ZOR/PQR
P14-15



Daisyone
Standard arm
COM/001
P16



Daisyone
Knuckle joint
COM/003
P16




Back to back
bracket
WSH/B2B
P19

DESK



Rodney monitor arm
SUN/001
P17

Fine height adjuster
UNI/FHA/001/B
P19



Gas lift post 400mm
PPS/080/K/S
P19



150mm
WSH/PST150/K
P19



200mm
WSH/PST200/K
P19



300mm
WSH/PST300/K
P19



400mm
WSH/PST400/K
P19



500mm
WSH/PST500/K
P19



700mm
WSH/PST700/K
P19



Through desk
fixing
P21



Cast grommet
UNI/CSG100/K
UNI/CSG140/K
P20



Universal desk clamp
Up to 13mm, 1/2"
UNI/LCLM13
P20



Universal desk clamp
Up to 25mm, 1"
UNI/LCLM25
P20




Universal desk clamp
Up to 38mm, 1 1/2"
UNI/LCLM38
P20




Universal top mounting
desk clamp
13-67mm, 1/2"-2 1/4"
UNI/TMCLM
P20



300mm
UNI/QPP300/K
P18



400mm
UNI/QPP400/K
P18



500mm
UNI/QPP500/K
P18




600mm
UNI/QPP600/K
P18




Top mounting
desk clamp
13-67mm, 1/2"-2 1/4"
UNI/QPC
P18


DOUBLE ARMS



SLATWALL




TOOLBAR











Height adjustable
toolbar bracket
WSH/ADJ
P21

Toolbar bracket
WSH/TB
P21



Toolbar extension bracket
WSH/TBX
P21

C-piece for toolbar
WSH/004TB/PQR
P11



Witteveen Projectinrichting
 Ouderkerk a/d Amstel
 Tel: 020 - 496 5030
 Fax: 020 - 496 3052
 info@witteveen.nl
 www.project-inrichting.nl